



Testing Laboratory Paskov
Rudé Armády 637, 739 21 Paskov

Test Report No. 12025/2025/AJ



Page No.: 1
Suma pages: 1

Client: BRAINMARKET s.r.o.
Mgr. Matěj Veselý, MBA
Hladnovská 83/93
712 00 Ostrava

Order of analyses: e-mail order dated 14.10.2025
Analyzed material: dietary supplement
Date of receipt: 20.10.2025
Date of Performance of the Test: 20.10.2025 - 4.11.2025
Sampling carried out by: client

Sample No. 18924
Description of Tested Item Performance Magnesium®, 1000 mg, Magnesium 200 mg + Vitamin B6 P5P, 100 vegan capsules,
lot: V1401-5923, exp.: 12/2026

Parameter	Units of Measur.	Sample No: 18924	Uncert. of meas.	Test method identification SOP	Akr.
Magnesium	mg/kg	235800	20%	ICP 04B:ČSN EN ISO 11885,ČSN 56 0065 (1)	A

Note: 1 capsule contains 235.5 mg of elemental magnesium..

Parameter	Units of Measur.	Sample No: 18924	Uncert. of meas.	Test method identification SOP	Akr.
Gross sample weight	kg	0,12	8%	SOP MB.005.PB Gravimetrie	SN
Pyridoxal	mg/100g	101	20,2	L1086: ISO 21470:2020 LC-MS	SA
Pyridoxal 5' phosphate	mg/100g	149	29,8	L1086: ISO 21470:2020 LC-MS	SA
Pyridoxal 5' phosphate	mg/caps.	1,79	29,8	L1086: ISO 21470:2020 LC-MS	SA

Note:
The results of the analyzes relate to the sample as received.
The information given in the sample description was obtained from the customer. Testing Laboratory is not responsible for it.

Number at the test method identifies the Working Site carrying out the test: 1-Testing Laboratory Brno, Polní 23/340, 639 00 Brno;
2-Testing Laboratory Paskov, Rudé armády 637,739 21 Paskov; 4-Hygienic Laboratory Klatovy, Koldinova 14, 339 01 Klatovy,
5 - Laboratory ÚNS Kutná Hora, Vítězná 422, 284 03 Kutná Hora.

The Uncertainty of Measurement is defined as a extended uncertainty on significance level 95 % with coefficient of expansion $k=2$. Uncertainty is expressed in accordance with ILAC G-17 and does not include the uncertainty of sampling procedure.

Abbreviation in column "Akr." means: A - in the scope of accreditation, N - outside the scope of accreditation, SA - test made by subcontractor

The results refer only to the tested items. The test report shall not be reproductive except in full, without written approval of the laboratory. The test report does not substitute the decision of regulatory or supervising authorities.

Date of issue:
4.11.2025



Ing. Lenka Ambružová
Laboratory manager